





STANDARD WAX FOR FLAT HEAD PRINTERS



RECEPTOR MULTI-COMPATIBILITY
EXCELLENT BLACKNESS
COMPETITIVITY

AWR®8 is the very latest generation of ARMOR wax ribbon. It is a competitive ribbon that doesn't make any compromise to quality and printing performance. AWR®8 matches all criteria expected by a traditional wax application.

PRINTING QUALITY






SENSITIVITY



Receptor Compatibility

Uncoated papers	● ● ●
Coated papers	● ● ●
High gloss papers	● ● ●
Synthetics	●

RESISTANCES



AWR®8	AWR®470	AWX®FH	APR®6	APH®FH+	AKR®7+	AKR®8	AKR®9
RESISTANCE	lower						
BLACKNESS	higher						
SHARPNESS	lower						

STANDARD WAX FOR FLAT HEAD PRINTERS

APPLICATION FIELDS

The characteristics of AWR®8 answer the requirements of the following application fields:

(If your application is not among the ones below, please contact us.)



RIBBON SPECIFICATIONS

Backcoating:

Silicon based.
Friction coefficient:
Kd < 0.2.



Ink:

Wax.
Melting point:
65°C / 149°F
(ARMOR procedure).

Storage:

12 months, 5-35°C (40-95°F),
20-80 % Humidity Rate.

PET film:

Thickness: 4.5 µm.

Ribbon:

Thickness (black): < 9 µm.
The ribbon is anti static build-up treated.

CERTIFICATIONS

REACH / SVHC Free: 1907/2006/EC

Food Contact Approved: 1935/2004/EC

Heavy metals: - 2002/95/EC
- 2002/96/EC
- 2011/65/EC

California Proposition 65

Halogen Free



COLOUR RANGE

● Black

SUSTAINABLE DEVELOPMENT

ARMOR evaluation of AWR®8:

To be compared with our other products.



The film is produced in one of the industry's most organised and awarded factories:



Quality, health, safety and environment certifications:

ISO 9001: 2008 ISO 14001: 2004
OHSAS 18001: 2007 ISO 50001: 2011



Responsible Care: International Council of Chemical Associations' charter towards constant improvements in health, safety and environment.



Global Compact: UN initiative inviting companies to apply fundamental ethical and environmental values.



All ARMOR product sheets are available on our website: www.armor-tt.com